

Summary Public Assessment Report

Candesartan Reddy (candesartan cilexetil)

SE/H/2449/01-03/DC

Summary Public Assessment Report

Candesartan Reddy
candesartan cilexetil

Tablet, 4 mg, 8 mg, 16 mg, 32 mg

This is a summary of the public assessment report (PAR) for Candesartan Reddy. It explains how the assessment was made and why the authorisation was recommended as well as the conditions of use. It is not intended to provide practical advice on how to use the product.

For practical information about the use of the product, patients should read the package leaflet or contact their doctor or pharmacist.

What is Candesartan Reddy and what is it used for?

The product is a 'generic medicine'. This means that it is similar to a 'reference medicine' already authorised in the European Union (EU) called Atacand.

Candesartan Reddy can be used to treat high blood pressure (hypertension) in adult patients and in children and adolescents aged 6 to <18 years, and to treat adult heart failure patients with reduced heart muscle function when Angiotensin Converting Enzyme (ACE) inhibitors cannot be used or in addition to ACE-inhibitors when symptoms persist despite treatment and mineralocorticoid receptor antagonists (MRA) cannot be used (ACE-inhibitors and MRAs are medicines used to treat heart failure).

How does Candesartan Reddy work?

The active ingredient is candesartan cilexetil. This belongs to a group of medicines called angiotensin II receptor antagonists. It works by making the blood vessels relax and widen. This helps to lower blood pressure. It also makes it easier for the heart to pump blood to all parts of the body.

How is Candesartan Reddy used?

The pharmaceutical form is Tablet for oral use.

Please read section 3 of the package leaflet for detailed information on dosing recommendations, the route of administration, and the duration of treatment.

The medicine can only be obtained with a prescription in Sweden.

What benefits of Candesartan Reddy have been shown in studies?

Because the product is a generic medicine, studies in patients have been limited to tests to determine that it is bioequivalent to the reference medicine, Atacand. Two medicines are bioequivalent when they produce the same levels of the active substance in the body.

What are the possible side effects from Candesartan Reddy?

Because the product is a generic medicine, its benefits and possible side effects are taken as being the same as the reference medicine.

For the full list of side effects, see section 4 of the package leaflet.

For the full list of restrictions, see the package leaflet.

Why is Candesartan Reddy approved?

It was concluded that, in accordance with EU requirements, the product has been shown to have comparable quality and is considered to be bioequivalent to the reference medicine. Therefore, the

Swedish Medical Products Agency decided that, as for Atacand, the benefits are greater than its risks and recommended that it can be approved for use.

What measures are being taken to ensure the safe and effective use of Candesartan Reddy?

A risk management plan has been developed to ensure that the product is used as safely as possible. Based on this plan, safety information has been included in the summary of product characteristics and the package leaflet, including the appropriate precautions to be followed by healthcare professionals and patients.

Known side effects are continuously monitored. Furthermore, new safety signals reported by patients/healthcare professionals will be monitored/reviewed continuously as well.

Other information about Candesartan Reddy

The full PAR for Candesartan Reddy can be found on the following website:

<http://mri.medagencies.org/Human/>. For more information about treatment with Candesartan Reddy, please read the package leaflet or contact your doctor or pharmacist.

This summary was last updated in 2024-09.