

Public Assessment Report

Scientific discussion

Drojarto
(linagliptin)

SE/H/2466/01/DC

This module reflects the scientific discussion for the approval of Drojarto. The procedure was finalised on 2025-03-05. For information on changes after this date please refer to the module ‘Update’.

I. INTRODUCTION

Based on the review of the quality, safety and efficacy data, a marketing authorisation has been granted for Drojarto, 5 mg, Film-coated tablet.

The active substance is linagliptin. A comprehensive description of the indication and posology is given in the SmPC.

For recommendations to the marketing authorisation not falling under Article 21a/22a/22 of Directive 2001/83/EC and conditions to the marketing authorisation pursuant to Article 21a/22a/ 22 of Directive 2001/83/EC to the marketing authorisation, please see section VI.

The application for Drojarto, 5 mg, Film-coated tablet, is a generic application submitted according to Article 10(1) of Directive 2001/83/EC. The applicant applies through the Decentralised Procedure with Sweden acting as reference member state (RMS) and EL as the sole concerned member state (CMS).

The reference medicinal product chosen for the purposes of establishing the expiry of the data protection period is Trajenta, 5 mg, film-coated tablet authorised in the Union since 2011, with Boehringer Ingelheim International GmbH as marketing authorisation holder.

The reference product used in the bioequivalence study is Trajenta, 5 mg, film-coated tablet from the Germany with Boehringer Ingelheim International GmbH as marketing authorisation holder.

II. QUALITY ASPECTS

II.1 Drug Substance

The structure of the drug substance has been adequately proven and its physico-chemical properties are sufficiently described.

The manufacture of the drug substance has been adequately described and satisfactory specifications have been provided for starting materials, reagents and solvents.

The drug substance specification includes relevant tests and the limits for impurities and degradation products have been justified. The analytical methods applied are suitably described and validated.

Stability studies confirm the retest period.

II.2 Medicinal Product

The medicinal product is formulated using excipients listed in section 6.1 in the Summary of Product Characteristics.

The manufacturing process has been sufficiently described and critical steps identified.

The tests and limits in the specification are considered appropriate to control the quality of the finished product in relation to its intended purpose.

Stability studies have been performed and data presented support the shelf life and special precautions for storage claimed in the Summary of Product Characteristics, sections 6.3 and 6.4.

III. NON-CLINICAL ASPECTS

Pharmacology/Pharmacokinetics/Toxicology

Pharmacodynamic, pharmacokinetic and toxicological properties of linagliptin are well known. As linagliptin is a widely used, well-known active substance, no further studies are required, nor does the applicant provide any. Overview based on literature review is, thus, appropriate.

Environmental Risk Assessment (ERA)

Since Drojarto is a generic product, it will not lead to an increased exposure to the environment. An environmental risk assessment is therefore not deemed necessary.

There are no objections to approval of Drojarto from a non-clinical point of view.

IV. CLINICAL ASPECTS

Pharmacokinetics

To support the marketing authorisation application the applicant has conducted one bioequivalence study in the fasting state, comparing Linagliptin (Drojarto) with the reference product Trajenta.

Pharmacokinetic properties of the active substance

Absorption: The absolute bioavailability of linagliptin is approximately 30%. After oral administration of a 5 mg dose to healthy volunteers or patients, linagliptin was rapidly absorbed, with peak plasma concentrations (median T_{max}) occurring 1.5 hours post-dose.

Co-administration of a high-fat meal with linagliptin prolonged the time to reach C_{max} by 2 hours and lowered C_{max} by 15% but no influence on AUC_{0-72h} was observed. No clinically relevant effect of C_{max} and T_{max} changes is expected; therefore, linagliptin may be administered with or without food.

Elimination: Plasma concentrations of linagliptin decline in a triphasic manner with a long terminal half-life (terminal half-life for linagliptin more than 100 hours), that is mostly related to the saturable, tight binding of linagliptin to DPP-4 and does not contribute to the accumulation of the medicinal product. The effective half-life for accumulation of linagliptin, as determined from oral administration of multiple doses of 5 mg linagliptin, is approximately 12 hours.

Study BEQ-1954-LINA-2016, 5 MG, FASTING

Methods

This was a single-dose, two-way crossover study conducted in 72 healthy volunteers, comparing Linagliptin, 5 mg, tablets with Trajenta, 5 mg, film-coated tablets under fasting conditions. Blood samples for concentration analysis were collected pre-dose and up to 72 hours post-dose. Plasma concentrations of linagliptin were determined with an LC-MS/MS method. Analysis of variance (ANOVA) was performed on the log-transformed data for AUC_{0-72} and C_{max} . The study was conducted between 2019-02-04 and 2019-06-04.

Results

The results from the pharmacokinetic and statistical analysis are presented in Table 1 below.

Table 1. Pharmacokinetic parameters (non-transformed values; arithmetic mean $\pm$ SD, $t_{\max}$ median, range) for linagliptin, n=70.

Treatment	AUC ₀₋₇₂ pg*h/ml	C _{max} pg/ml	t _{max} h
Test	193764.86 $\pm$ 41953.94	7098.92 $\pm$ 3313.67	5.00 (0.33 - 10.00)
Reference	193690.30 $\pm$ 39905.51	7271.43 $\pm$ 3177.82	3.67 (0.67 - 12.00)
*Ratio (90% CI)	99.96 (96.68 - 103.36)	98.23 (89.02 - 108.40)	-
AUC _{0-t} area under the plasma concentration-time curve from time zero to t hours C _{max} maximum plasma concentration t _{max} time for maximum plasma concentration			

*calculated based on ln-transformed data

For AUC₀₋₇₂ and C_{max} the 90% confidence interval for the ratio of the test and reference products fell within the conventional acceptance range of 80.00-125.00%.

Discussion and overall conclusion

The bioequivalence study and its statistical evaluation were in accordance with accepted standards for bioequivalence testing, as stated in the Guideline on the investigation of bioequivalence (CPMP/EWP/QWP/1401/98 Rev 1/Corr). The bioanalytical methods were adequately validated.

Based on the submitted bioequivalence study, Linagliptin (Drojarto) is considered bioequivalent with Trajenta.

Pharmacodynamics/Clinical efficacy/Clinical safety

No new studies on pharmacodynamics, clinical efficacy or clinical safety have been submitted. Provided that bioequivalence with the originator product is demonstrated, additional data is not necessary.

Risk Management Plan

The MAH has submitted a risk management plan, in accordance with the requirements of Directive 2001/83/EC as amended, describing the pharmacovigilance activities and interventions designed to identify, characterise, prevent or minimise risks relating to Drojarto.

Part II Safety specification

The MAH has submitted the version 1.0 RMP dated 2025-02-18 and proposed the following summary safety concerns:

Summary of safety concerns	
Important identified risks	Pancreatitis
Important potential risks	Pancreatic cancer
Missing information	Pregnancy/breast-feeding

Assessor's comment: The proposed summary of safety concerns is in line with the latest version of the RMP of the reference product and therefore endorsed.

Part III Pharmacovigilance Plan

Routine pharmacovigilance is suggested and no additional pharmacovigilance activities are proposed by the applicant, which is endorsed. In addition, they include non-conditioned questionnaires for pancreatitis and pancreatic cancer which is in line with the reference product and therefor endorsed.

Part V Risk minimisation measures

Routine risk minimisation is suggested and no additional risk minimisation activities are proposed by the applicant, which is endorsed.

Part VI Summary of the RMP

The Summary of the RMP is endorsed.

Conclusion RMP assessment

The submitted Risk Management Plan, version 1.0 RMP signed 2025-02-18 is considered acceptable.

The MAH shall perform the required pharmacovigilance activities and interventions detailed in the agreed RMP presented in Module 1.8.2 of the Marketing Authorisation and any agreed subsequent updates of the RMP.

An updated RMP should be submitted:

- At the request of the RMS;
- Whenever the risk management system is modified, especially as the result of new information being received that may lead to a significant change to the benefit/risk profile or as the result of an important (pharmacovigilance or risk minimisation) milestone being reached.

If the dates for submission of a PSUR and the update of a RMP coincide, they can be submitted at the same time, but via different procedures.

V. USER CONSULTATION

The package leaflet has been evaluated via a user consultation study in accordance with the requirements of Articles 59(3) and 61(1) of Directive 2001/83/EC. The language used for the purpose of user testing the PL was English.

The results show that the package leaflet meets the criteria for readability as set out in the Guideline on the readability of the label and package leaflet of medicinal products for human use.

VI. OVERALL CONCLUSION, BENEFIT/RISK ASSESSMENT AND RECOMMENDATION

The quality of the generic product, Drojarto, is found adequate. There are no objections to approval of Drojarto, from a non-clinical and clinical point of view. Bioequivalence between the test and reference product has been adequately demonstrated. The product information is acceptable. The benefit/risk is considered positive, and the application is therefore recommended for approval.

List of recommendations not falling under Article 21a/22a/22 of Directive 2001/83/EC in case of a positive benefit risk assessment

N/A.

List of conditions pursuant to Article 21a/22a or 22 of Directive 2001/83/EC

N/A.

VII. APPROVAL

The decentralised procedure for Drojarto, 5 mg, Film-coated tablet was positively finalised on 2025-03-05.

Public Assessment Report – Update

Procedure number*	Scope	Product Information affected (Yes/No)	Date of end of procedure	Approval/non approval	Summary/Justification for refuse

*Only procedure qualifier, chronological number and grouping qualifier (when applicable)