

ANNEX I

SUMMARY OF PRODUCT CHARACTERISTICS

1. NAME OF THE MEDICINAL PRODUCT

Lavancap soft capsules

2. QUALITATIVE AND QUANTITATIVE COMPOSITION

1 soft capsule contains:

80 mg *Lavandula angustifolia* Mill., aetheroleum (Lavender oil)

Excipient with known effect: sorbitol, 8.4 mg /soft capsule.

For the full list of excipients, see section 6.1.

3. PHARMACEUTICAL FORM

Soft capsule

Purple color round capsules containing a clear and yellowish oily solution.

Capsule dimensions: length 8.8 mm aprox.

4. CLINICAL PARTICULARS

4.1 Therapeutic indications

Traditional herbal medicinal product for relief of mild anxiety and to aid sleep.

The product is a traditional herbal medicinal product for use in the specified indication exclusively based upon long-standing use.

[Product name] is indicated in adults and adolescents from 12 years of age.

4.2 Posology and method of administration

Posology

Adults and adolescents from 12 years of age: one soft capsule once daily (corresponding to 80 mg lavender oil per day)

Paediatric population

[Product name] should not be used in children under the age of 12 years (see section 4.4 'Special warnings and precaution for use').

Method of administration

Oral use. The soft capsules are to be swallowed whole with sufficient liquid (preferably a glass of water).

Duration of use

If the symptoms persist after two weeks use of the product, a doctor or a qualified health care practitioner should be consulted.

4.3 Contraindications

Hypersensitivity to the active substance or to any of the excipients listed in section 6.1.

4.4 Special warnings and precautions for use

If the symptoms worsen during the use of the product, a doctor or a qualified health care practitioner should be consulted.

The use in patients with impairment of hepatic function is not recommended as components of lavender oil are largely eliminated by metabolism in the liver.

Paediatric population

The use in children under 12 years of age is not recommended due to the lack of adequate data.

4.5 Interaction with other medicinal products and other forms of interaction

Published data show that lavender oil (160 mg/day) has no clinically relevant inhibitory or inducing effects on the CYP 1A2, 2C9, 2C19, 2D6 and 3A4 enzymes in human. In addition, no relevant clinical impact of lavender oil on the contraceptive efficacy of combined oral contraceptive was found.

4.6 Fertility, pregnancy and lactation

Safety during pregnancy and lactation has not been established. In the absence of sufficient data, the use during pregnancy and lactation is not recommended. There are no data on fertility.

4.7 Effects on ability to drive and use machines

[Product name] has no or negligible influence on the ability to drive and use machines.

4.8 Undesirable effects

Gastrointestinal disorders

Mild gastrointestinal complaints (e.g., eructation). The frequency is not known.

Skin and subcutaneous tissue disorders / Immune system disorders

Hypersensitivity reactions. The frequency is not known.

Reporting of suspected adverse reactions

Reporting suspected adverse reactions after authorisation of the medicinal product is important. It allows continued monitoring of the benefit/risk balance of the medicinal product. Healthcare professionals are asked to report any suspected adverse reactions via **the national reporting system**.

4.9 Overdose

No case of overdose has been reported.

5. PHARMACOLOGICAL PROPERTIES

5.1 Pharmacodynamic properties

Pharmacotherapeutic group: Lavandulae aetheroleum ATC code: N05BX05

5.2 Pharmacokinetic properties

-

5.3 Preclinical safety data

In vitro and *in vivo* genotoxicity tests performed with lavender oil did not show any genotoxic potential. Adequate tests on carcinogenicity and reproductive toxicity of lavender oil have not been performed.

6. PHARMACEUTICAL PARTICULARS

6.1 List of excipients

Capsule content:

Rapeseed oil, refined

Capsule shell:

Gelatin

Sorbitol 70% liquid (non-crystallising)

Glycerol 85% (E422)

Colouring agents:

Carminic acid (E120)

Patent blue V (E131)

6.2 Incompatibilities

Not applicable.

6.3 Shelf life

18 months.

6.4 Special precautions for storage

This medicinal product does not require any special storage conditions.

6.5 Nature and contents of container

The container (blister) is made of PVC/PVDC Aluminium.

Packs with 14, 28 and 56 soft capsules

Not all pack sizes may be marketed.

6.6 Special precautions for disposal and other handling

No special requirements.

7. REGISTRATION HOLDER

MEDIPHA SANTE

Les Fjords – Immeuble Oslo

19 avenue de Norvège

91953 Courtaboeuf Cedex

France

8. REGISTRATION NUMBER(S)

{To be completed nationally}

9. DATE OF FIRST REGISTRATION/RENEWAL OF THE AUTHORISATION

{To be completed nationally}

<Date of first authorisation: {DD month YYYY}>

<Date of latest renewal: {DD month YYYY}>

10. DATE OF REVISION OF THE TEXT

20 September 2023